## Certificate N°: 21030400BE





Page N°: 1/6

Ho Chi Minh City, Date: 09 February 2020

#### **CERTIFICATE OF QUANTITY AND WEIGHT**

REF. NO.: 253704

A Consignment designated as:

T.V.P STEEL JOINT STOCK COMPANY

PLACE OF INSPECTION: T.V.P STEEL FACTORY IN LONG AN PROVINCE

DATE OF INSPECTION: FROM 03 TO 08 FEBRUARY 2021

SCOPE OF SERVICE: QUANTITY AND WEIGHT

The consignment declared by the consignee belonging to the following shipment: SHIPPER: SUMEC INTERNATIONAL TECHNOLOGY CO.,LTD

**NOTIFY PARTY:** T.V.P STEEL JOINT STOCK COMPANY

COMMODITY: PRIME HOT DIPPED GALVANIZED STEEL IN COILS

393 COILS - 4,793.275 MT NET WEIGHT/ 4,795.240 MT GROSS WEIGHT QUANTITY AS B/L:

PORT OF LOADING: TIANJIN PORT IN CHINA

HOCHIMINH CITY PORT, VIETNAM PORT OF DISCHARGE: VESSEL: JIN TONG V.2101

HCMXG24 DATED: 20 JANUARY 2021 B/L NO.:

THIS IS TO REPORT in accordance with instructions received from our principal, T.V.P STEEL JOINT STOCK COMPANY, we attended at T.V.P Steel factory in Long An province, Viet Nam with the purpose of carrying out survey of quantity and weight of the above mentioned commodity. At time of our intervention, the cargo was stowed in the warehouse of T.V.P Steel factory. We hereby report our finding as follows:

PACKING: The cargo was packed in coils. Each coil was covered by steel sheet outer and core/ steel

sheet at two edges/ corner, metal at four edges, then tied up with 04 steel hoops and 04-05

across steel bands.

**MARKING:** Attached to each coil was paper mark as follows:






#### SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai Street Ward 6, District 3. Ho Chi Minh City - Vietnam t: + 84 28 3935 1920 f: +84 28 3935 1921

This document is issued by the Company subject to its General Conditions of Service ). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Page N°: 2/6

QUANTITY AND WEIGHT: Assessed by counting number of coils during unloading from trucks at T.V.P. Steel factory. We reported the weight of cargo lot by supervision of weighing 100% of full and empty loaded truck at T.V.P Steel factory by the weigh-bridge scale No. 18905 which was duly tested for accuracy by us before and during weighing. The following result was found:

## 1. Quantity:

Nominal size (mm x mm x C)	Quantity as survey (Coils)	Quantity as B/L (Coils)	Difference (Coils)
0.92 x 860 x Coils	150	150	Nil
1.02 x 860 x Coils	40	40	Nil
1.12 x 860 x Coils	40	40	Nil
1.23 x 860 x Coils	o asasasasasasasas 41 asasasasasas	41	Ni
1.35 x 860 x Coils	a deserge en	15	Nil
1.50 x 860 x Coils	0.0000.0000.0000.0000.0000.0000.0000.0000	16	Nil
1.75 x 860 x Coils	d dedecation of the control of the c	17	Nil
1.95 x 860 x Coils	sasasasasasasasa 18	18	Nil
2.30 x 860 x Coils	24	24	Nil
2.50 x 860 x Coils	16	16	Nil
2.75 x 860 x Coils	16	16	Nil
Total	393	393	Nil

### 2. Weight:

Nominal size	Weight	as survey (1	Tons)	Net weight	Difference
(mm x mm x C)	Gross	Tare	Net	as B/L (Tons)	Net weight (Tons)
Assorted sizes	4,776.750	11.236	4,765.514	4,793.275	(-) 27.761

#### Remark: As per client's request:

- -The cargo in different sizes was weighed together.
- 24 coils were taken randomly from the consignment for checking tare weight. Detail of the coils are as follows


Nominal size (mm x mm x C)	Coil ID No.	Tare weight as survey (tons/coil)	Average weight as survey (tons/coil)	Total tare weight as survey (tons)	
0.92 x 860 x Coil	HXB201221020-0701	29.0	29.0	4.350	
0.92 x 860 x Coil	HXB201224036-0701	29.0			
1.02 x 860 x Coil	RGV201221028-0301	28.0	28.0	1.120	
1.02 x 860 x Coil	RGV210111001-0302	28.0	20.0	1.120	
1.12 x 860 x Coil	RGV210114003-0301	28.0	28.0	1.120	
1.12 x 860 x Coil	RGB201225559-0301	28.0	20.0	1.120	

#### SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai Street Ward 6, District 3. Ho Chi Minh City - Vietnam t: + 84 28 3935 1920 f: +84 28 3935 1921

This document is issued by the Company subject to its General Conditions of Service (www.sgs.com/en/Terms-and-Conditions.aspx). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Page N°: 3/6

Nominal size (mm x mm x C)	Coil ID No.	Tare weight as survey (tons/coil)	Average weight as survey (tons/coil)	Total tare weight as survey (tons)
1.23 x 860 x Coil	RGV210111066-0301	29.0	29.0	1.189
1.23 x 860 x Coil	RGV210112116-0301	29.0	650545AV	
1.35 x 860 x Coil	RGV201221134-0301	28.0	28.0	420
1.35 x 860 x Coil	RGV201223005-0301	28.0	\$650505056565056565656565656565656565656	
1.50 x 860 x Coil	RGV201221105-0301	28.0	28.0	448
1.50 x 860 x Coil	RGV201221002-0301	28.0	959 SC 950505050505050505050505050505050505050	
1.75 x 860 x Coil	RGV201209008-0301	29.0	29.0	493
1.75 x 860 x Coil	RGV201208127-0301	29.0	\$650505050505050505050505050505050505050	
1.95 x 860 x Coil	RGV201208124-0301	28.0	00 056505050505	504
1.95 x 860 x Coil	RGV201210179-0301	28.0	28.0	504
2.30 x 860 x Coil	RGV201222012-0301	29.0	20.0	000
2.30 x 860 x Coil	RGV201222057-0301	29.0	29.0	696
2.50 x 860 x Coil	RGV201223003-0301	28.0	20.0	140
2.50 x 860 x Coil	RGV201223002-0301	28.0	28.0	448
2.75 x 860 x Coil	RGV201223163-0301	28.0	20.0	440
2.75 x 860 x Coil	RGV201223162-0301	28.0	28.0	448
Total	90 GSGSGSGS GSGSGSGS GSGSGSGS SSGSGS	1656366 16563636 16563636 1636366		11.236

**PHOTOGRAPH**: The following photos (representative) were taken at time of our intervention:






THE CARGO STOWED AT T.V.P FACTORY

#### SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai Street Ward 6, District 3. Ho Chi Minh City - Vietnam t: + 84 28 3935 1920 f: +84 28 3935 1921

This document is issued by the Company subject to its General Conditions of Service (<a href="https://www.sgs.com/en/Terms-and-Conditions.aspx">www.sgs.com/en/Terms-and-Conditions.aspx</a>). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

indemnification and jurisdictional issues established therein. This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The authenticity of this document may be verified at







Page N°: 4/ 6





### TALLY SURVEY





### WEIGHING



W	天 Tia	天津海钢板材有限公司 Finnjin Haigang Steel Coil Co., Ltd.			
il die	8 Commedity	METERNAL STORY	O PI 9	0114610	高级
成品面号 Product No.	N 3/2012/210/8 0001	M Migrani Size	860+1.02	Spangle	fife .
Material	scc .	Wet Merght		京田東西 Ownigal Treatment	EW
Oneting Meight	and .	Ej W.(M1) Grass Weight	12,240	III III III	-Figure
Product Grade	SA: S: P R	Team		11,00:27	7 44 4
POST HIGH Y GENOW IS	SECTION AND A SECTION AND ADDRESS OF THE ADDRESS OF T	Bruanglang, Jogbac Tong	O'China M. J.: 008822 88298877		1

0.92 x 860 x Coil

1.02 x 860 x Coil

#### SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai Street Ward 6, District 3. Ho Chi Minh City - Vietnam t: + 84 28 3935 1920 f: +84 28 3935 1921

This document is issued by the Company subject to its General Conditions of Service (<a href="https://www.sgs.com/en/Terms-and-Conditions.aspx">www.sgs.com/en/Terms-and-Conditions.aspx</a>). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The authenticity of this document may be verified at

# Certificate N°: 21030400BE






Page N°: 5/ 6





1.12 x 860 x Coil







**OPENED COIL** 





**CHECK WEIGHT** 

#### SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai Street Ward 6, District 3. Ho Chi Minh City - Vietnam t: + 84 28 3935 1920 f: +84 28 3935 1921

This document is issued by the Company subject to its General Conditions of Service (<a href="https://www.sgs.com/en/Terms-and-Conditions.aspx">www.sgs.com/en/Terms-and-Conditions.aspx</a>). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The authenticity of this document may be verified at

# Certificate N°: 21030400BE





Page N°: 6/6

# **Detail of the scale:**

Scale No .:

Place of calibration:

18905

QUATEST 03

Date of calibration: Next calibration:

31.12.2020 31.12.2021

**SGS VIETNAM LTD** Tran Thi Thu Trang

Thay mặt công ty

SGS ... ses vietnam Ltd



#### SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai Street Ward 6, District 3. Ho Chi Minh City - Vietnam t: +84 28 3935 1920 f: +84 28 3935 1921

This document is issued by the Company subject to its General Conditions of Service (<a href="https://www.sgs.com/en/Terms-and-Conditions.aspx">www.sgs.com/en/Terms-and-Conditions.aspx</a>). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The authenticity of this document may be verified at